

































# BLUE MARINA<sup>®</sup> (Plablu 1549)

EARLINESS AND YIELD


### Blue Marina® production calendar

|                         | Jan.  | Feb.  | Mar.  | Apr.  | May.  | Jun.  | Jul.  | Aug.  | Sep.   | Oct.  | Nov.  | Dec.  |
|-------------------------|---|---|---|---|---|---|---|---|--|---|---|---|
| Mediterranean countries |  |  |  |  |   |   |   |   |  |   |   |  |
| Mexico                  |  |  |  |  |  |   |   |   |  |  |  |  |
| Peru                    |   |   |   |   |   |   |   |   |  |  |  |  |
| China                   |  |  |  |  |   |   |   |   |  |   |  |  |
| Southern Africa         |   |   |   |   |  |  |  |  |  |   |   |   |


## | YIELD



Average production  
first year:  
**15,500 Kg/ha**



Average production  
second year:  
**20,000 Kg/ha**




Average production  
third year:  
**28,000 Kg/ha**


## | EARLINESS



Brix:  
**16°**



Shelf life:  
**>4 weeks**



Caliber:  
**L - 22 mm**



Bloom:  
**Medium**

## | ADDITIONAL INFORMATION



Orders must be placed 12 months in advance of the planting date to ensure delivery of planting material.



Blue Marina® can be planted all year round avoiding periods of extreme temperatures.



The average recommended planting density is 4,000 - 6,000 plants/ha.





[PLANASA.COM](http://PLANASA.COM)

"The data and results contained in this document are for information purposes only and are NOT CONTRACTUAL. These data have been obtained under specific and controlled conditions. Plants belong to the domain of the living and are affected, in their productive process, by a plurality of factors such as climatic and geographical conditions, field management or soil characteristics. Therefore, Planasa DOES NOT GUARANTEE that the results of your operation will be obtained, even if the indications contained herein have been followed. We recommend that you make an appointment with a Planasa technical advisor to visit a nearby farm and evaluate the planting of the variety".